



Mounting Guide

Camera Mounting
Applications and
Specifications

In This Guide

Mounting Applications			Mounting Specifications	
V2000D	Roughneck AI Varifocal Domes	3	Wall Mounts	11
V2100D	Roughneck Varifocal Dome	4	Parapet Mount	11
V2005D	Roughneck AI Micro-Dome	5	Pendant Mount	12
V2000-WIR-360	Roughneck AI Multi-Sensors	6	Ceiling Surface Mounts	12
V2360W-12-1	Roughneck AI Fisheye Dome	7	Corner Mount Brackets	13
V2008PTZ-IR	Roughneck AI PTZ	8	Pole Mount Brackets	13
V2005D-PTZ	Roughneck AI PTZ with Auto-Tracking	8	Junction Box	14
V2000B	Roughneck AI Bullet Cameras	9	Pendant Caps	14
V2000B-LPR	Roughneck AI LPR Bullet Cameras	9	Pendant Cap Adaptor (for Micro-Dome)	14
V2100B	Roughneck Bullet Camera	10	In-Ceiling Mounts	15
			Drop-Ceiling Support Brackets	15
			Backbox Mounts	16
			Wedge Mount	17
			Electrical Box Mounting Plates	17



V2000D
Roughneck AI
Varifocal Domes

	V2000D-PLATE 4x4 Electrical Box Mounting Plate
	V2000D-IC In-Ceiling Mount
	V2XXXD-DCB Drop-Ceiling Support Bracket (requires V2000D-IC)
	V2XXXD-PM Pendant Cap


	V1001-PM Pendant Mount
	SVFT-UPM-2 Parapet Mount
	SVFT-UCM-1 Ceiling Mount
	SVFT-WM-1 Short Wall Mount
	V1001-WM Medium Wall Mount


	NEW V1001-JB Junction Box
	NEW V1001-PL Pole Mount Bracket
	NEW V1001-CM Corner Mount Bracket

	NEW V1001-PL Pole Mount Bracket
	NEW V1001-CM Corner Mount Bracket




V2100D
Roughneck
Varifocal Dome








V2000-WIR-360
Roughneck AI
Multi-Sensor





V2360W-12-1
Roughneck AI
Fisheye Dome





V2008PTZ-IR
Roughneck AI PTZ



V2005D-PTZ
Roughneck AI PTZ



SVFT-UWM-1
Long Wall
Mount



SVFT-UPM-2
Parapet
Mount




SVFT-UCM-1
Ceiling
Mount



V1001-WM
Medium Wall
Mount



V1001-PM
Pendant
Mount




V-24-CMB-4
Corner Mount
Bracket



V-20B-A-4
Pole Mount
Bracket




NEW
V1001-JB
Junction Box




NEW
V1001-PL
Pole Mount
Bracket



NEW
V1001-CM
Corner Mount
Bracket



NEW
V1001-PL
Pole Mount
Bracket




NEW
V1001-CM
Corner Mount
Bracket




V2000B
Roughneck AI
Bullet Cameras









V2000B-LPR
Roughneck AI
LPR Bullet Cameras













V2100B
Roughneck
Bullet Camera











Wall Mounts	Dimensions	Indoor	Outdoor	Construction	Compatible Cameras	Compatible Mounts
<p>SVFT-WM-1 Short Wall Mount</p> <p>Use this when mounting a variety of domes on a wall.</p> <p>Contains industry-standard 1.5" NPT pipe thread.</p> 	 <p>Height 4.9 in. (124 mm)</p> <p>Length 7.5 in. (191 mm)</p>	●	○	<p>Material: Cast Aluminum</p> <p>Color: White</p> <p>Weight: 1.4 lbs (0.6 Kg)</p>	<p>V2000D Fixed Varifocal Domes*</p> <p>V2100D Fixed Varifocal Domes*</p> <p>V2005D Fixed Micro-Domes*</p> <p>V2360W-12-1 Fisheye Dome*</p>	<p>V2XXXD-PM Pendant Cap (required for V2000D and V2100D Domes)</p> <p>V2000D-PM Pendant Cap (required for V2360W-12-1 Fisheye Dome)</p>
<p>V1001-WM Medium Wall Mount</p> <p>Use this when mounting a variety of domes on a wall.</p> <p>Contains industry-standard 1.5" NPT pipe thread.</p> 	 <p>Height 8.8 in. (226 mm)</p> <p>Length 9.8 in. (249 mm)</p>	●	●	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 3 lbs (1.36 Kg)</p>	<p>V2005D-PTZ PTZ Domes</p> <p>V2008PTZ-IR PTZ Dome</p> <p>V2000 Multi-Sensors</p> <p>V2000D Fixed Varifocal Domes*</p> <p>V2100D Fixed Varifocal Domes*</p> <p>V2005D Fixed Micro-Domes*</p> <p>V2360W-12-1 Fisheye Dome*</p>	<p>V2XXXD-PM Pendant Cap (required for V2000D and V2100D Domes)</p> <p>V2000D-PM Pendant Cap (required for V2360W-12-1 Fisheye Dome)</p> <p>V1001-JB J-Box</p> <p>V1001-PL Pole Mount Bracket</p> <p>V1001-CM Corner Mount Bracket</p>
<p>SVFT-UWM-1 Long Wall Mount</p> <p>Use this when mounting a variety of domes on a wall. Contains 3/4" conduit access.</p> <p>Contains industry-standard 1.5" NPT pipe thread.</p> <p>Parapet Mount</p> 	 <p>Height 11.6 in. (295 mm)</p> <p>Length 14.6 in. (371 mm)</p>	●	●	<p>Material: Cast Aluminum</p> <p>Color: White</p> <p>Weight: 4.5 lbs (2.0 Kg)</p>	<p>V2005D-PTZ PTZ Domes</p> <p>V2008PTZ-IR PTZ Dome</p>	<p>V-20B-A-4 Pole Mount Bracket</p> <p>V-24CMB-4 Corner Mount Bracket</p>
<p>SVFT-UPM-2 Parapet (over-the-roof) Mount</p> <p>Use this when mounting a variety of domes over the raised barrier at the edge of a roof.</p> <p>Contains industry-standard 1.5" NPT pipe thread.</p> 	 <p>Height 37 in. (940 mm)</p> <p>Depth 27 in. (686 mm)</p>	○	●	<p>Material: Aluminum and Steel</p> <p>Color: White</p> <p>Weight: 7.6 lbs (3.4 Kg)</p>	<p>V2005D-PTZ PTZ Domes</p> <p>V2008D-IR PTZ Dome</p> <p>V2000 Multi-Sensors</p> <p>V2000D Fixed Varifocal Domes*</p> <p>V2100D Fixed Varifocal Domes*</p> <p>V2360W-12-1 Fisheye Dome*</p>	<p>V2XXXD-PM Pendant Cap (required for V2000D and V2100D Domes)</p> <p>V2000D-PM Pendant Cap (required for V2360W-12-1 Fisheye Dome)</p>

NOTE: All visible mounting components are the identical white color: RAL 9003









* Requires compatible Pendant Cap Mount

















Pendant Mount	Dimensions	Indoor	Outdoor	Construction	Compatible Cameras	Compatible Mounts
<p>V1001-PM Pendant Mount</p>  <p>Use this when suspending a variety of domes from a ceiling.</p> <p>Contains industry-standard 1.5" NPT pipe thread.</p>	 <p>Length 10.2 in. (259 mm)</p> <p>Diameter 6.5 in. (165 mm)</p>	<p>●</p>	<p>●</p>	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 3 lbs (1.36 Kg)</p>	<p>V2005D-PTZ PTZ Domes V2008PTZ-IR PTZ Dome V2000 Multi-Sensors V2000D Fixed Varifocal Domes* V2100D Fixed Varifocal Domes* V2005D Fixed Micro-Dome* V2360W-12-1 Fisheye Dome*</p>	<p>V2XXXD-PM Pendant Cap (required for V2000D and V2100D Domes)</p>
<p>SVFT-UCM-1 Ceiling Mount</p>  <p>Use this when mounting a variety of domes directly to a hard ceiling.</p> <p>Contains industry-standard 1.5" NPT pipe thread.</p>	 <p>Height 6.0 in. (152.4 mm)</p> <p>Width 9.0 in. (228.6 mm)</p>	<p>●</p>	<p>●</p>	<p>Material: Carbon Steel</p> <p>Color: White</p> <p>Weight: 3.1 lbs (1.5 Kg)</p>	<p>V2005D-PTZ PTZ Domes V2008PTZ-IR PTZ Dome V2000 Multi-Sensors V2000D Fixed Varifocal Domes* V2100D Fixed Varifocal Domes* V2005D Fixed Micro-Dome* V2360W-12-1 Fisheye Dome*</p>	<p>Customer-supplied extension pipe</p>
<p>V2360W-ICH Ceiling Surface Mount</p>  <p>Use this when mounting the V2360W-12-1 Fisheye Dome directly onto a ceiling's surface.</p>	 <p>Height 3.88 in. (99 mm)</p> <p>Diameter 6.75 in. (171.45 mm)</p>	<p>●</p>	<p>○</p>	<p>Material: Zinc-Plated Steel and PC-ABS Plastic</p> <p>Color: White</p> <p>Weight: 0.72 lb (0.33 Kg)</p>	<p>V2360W-12-1 Fisheye Dome</p>	<p>N/A</p>
<p>V2360W-ICD Drop-Ceiling Surface Mount</p>  <p>Use this when mounting the V2360W-12-1 Fisheye Dome onto the surface of a drop tile ceiling.</p>	 <p>Height 3.88 in. (99 mm)</p> <p>Length 12 in. (304.8 mm)</p> <p>* Diameter of Surface Plate 6.75 in. (171.5 mm)</p> <p>12 to 24 in. adjustable (304.8 to 609.6 mm)</p>	<p>●</p>	<p>○</p>	<p>Material: Aluminum</p> <p>Color: White Surface Plate</p> <p>Weight: 2.75 lbs (1.25 Kg)</p>	<p>V2360W-12-1 Fisheye Dome</p>	<p>N/A</p>









* Requires compatible Pendant Cap Mount



Corner Mount Brackets		Dimensions	Indoor	Outdoor	Construction	Compatible Cameras	Compatible Mounts
<p>NEW</p> <p>V1001-CM Corner Mount Bracket</p> <p>Use this when mounting a variety of domes (on the V1001-WM Wall Mount) to a corner.</p> 	 <p>Height 7.8 in. (200 mm)</p> <p>Depth 10.25 in. (260.35 mm)</p> <p>Width 16 in. (406.4 mm)</p>	○	●	<p>Material: Steel</p> <p>Color: White</p> <p>Weight: 9.9 lbs (4.5 Kg)</p>	V2000D Fixed Varifocal Domes V2100D Fixed Varifocal Domes V2005D Fixed Micro-Domes V2000 Multi-Sensors V2360W-12-1 Fisheye Dome V2005D-PTZ PTZ Domes V2008PTZ-IR PTZ Dome	V1001-WM Wall Mount (required) V1001-JB J-Box	
<p>V-24-CMB-4 Corner Mount Bracket</p> <p>Use this when mounting PTZs and bullet cameras to a corner.</p> 	 <p>Height 12 in. (304.8 mm)</p> <p>Depth 7.0 in. (177.8 mm)</p> <p>Width 10.75 in. (273.1 mm)</p>	○	●	<p>Material: Steel</p> <p>Color: White</p> <p>Weight: 8.9 lbs (4.0 Kg)</p>	V2005D-PTZ PTZ Domes V2008PTZ-IR PTZ Dome V2000B Bullet Cameras V2100B Bullet Cameras	SVFT-UWM-1 Long Wall Mount SVFT-UPM-2 Parapet Mount V2100B-BOX Backbox Mount V2000B-BOX Backbox Mount	
Pole Mount Brackets							
<p>NEW</p> <p>V1001-PL Pole Mount Bracket</p> <p>Use this when mounting a variety of domes (on the V1001-WM Wall Mount) to a pole.</p> 	 <p>Height 9.5 in. (241.3 mm)</p> <p>Width 6.25 in. (158.75 mm)</p>	○	●	<p>Material: Steel</p> <p>Color: White</p> <p>Weight: 4.35 lbs (1.97 Kg)</p>	V2000D Fixed Varifocal Domes V2100D Fixed Varifocal Domes V2005D Fixed Micro-Domes V2000 Multi-Sensors V2360W-12-1 Fisheye Dome V2005D-PTZ PTZ Domes V2008PTZ-IR PTZ Dome	V1001-WM Wall Mount (required) V1001-JB J-Box	
<p>V-20B-A-4 Pole Mount Bracket</p> <p>Use this when mounting PTZs and bullet cameras to a pole.</p> 	 <p>Height 12.75 in. (324 mm)</p> <p>Width 8.0 in. (203 mm)</p>	○	●	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 3.7 lbs (1.7 Kg)</p>	V2005D-PTZ PTZ Domes V2008PTZ-IR PTZ Dome V2000B Bullet Cameras V2100B Bullet Cameras	SVFT-UWM-1 Long Wall Mount V2100B-BOX Backbox Mount V2000B-BOX Backbox Mount	



* Requires compatible Pendant Cap Mount

Junction Box	Dimensions	Indoor	Outdoor	Construction	Compatible Cameras	Compatible Mounts
<p>NEW</p> <p>V1001-JB Junction Box</p> <p>This assists with wiring management for a variety of domes, which easily mount to this J-Box.</p> 	 <p>Depth 4.5 in. (114.3 mm)</p> <p>Width 10 in. (254 mm)</p> <p>Height 10 in. (254 mm)</p>	<p>○</p>	<p>●</p>	<p>Material: Steel</p> <p>Color: White</p> <p>Weight: 9.7 lbs (4.4 Kg)</p>	<p>V2000D Fixed Varifocal Domes V2100D Fixed Varifocal Domes V2005D Fixed Micro-Dome V2000 Multi-Sensors V2360W-12-1 Fisheye Dome V2005D-PTZ PTZ Domes V2008PTZ-IR PTZ Dome</p>	<p>V1001-WM Wall Mount (required) V1001-CM Corner Mount Bracket V1001-PL Pole Mount Bracket</p>
<p>V2XXXD-PM Pendant Cap</p> <p>Use this when mounting various domes to industry-standard 1.5" NPT mounts.</p> 	 <p>Diameter 5.7 in. (144 mm)</p> <p>Height 4.2 in. (106 mm)</p>	<p>●</p>	<p>●</p>	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 0.9 lb (0.4 Kg)</p>	<p>V2000D Fixed Varifocal Domes V2005D Fixed Micro-Dome (requires the V2XXXD-ADPT adaptor) V2100D Fixed Varifocal Domes</p>	<p>SVFT-WM-1 Short Wall Mount V1001-WM Medium Wall Mount SVFT-UCM-1 Ceiling Mount V1001-PM Pendant Mount SVFT-UPM-2 Parapet Mount V2XXXD-ADPT Pendant Cap Adaptor (required for the V2005D Micro-Dome)</p>
<p>V2XXXD-ADPT Pendant Cap Adaptor</p> <p>This adaptor is required when mounting the V2005D Micro-Dome to the V2XXXD-PM Pendant Cap.</p> 	 <p>Diameter 5.25 in. (133.35 mm)</p>	<p>●</p>	<p>●</p>	<p>Material: Aluminum</p> <p>Color: Black</p> <p>Weight: 0.40 lb (0.2 Kg)</p>	<p>V2005D Fixed Micro-Dome</p>	<p>V2XXXD-PM Pendant Cap (required)</p>
<p>V2000D-PM Pendant Cap</p> <p>Use this when mounting the V2360W-12-1 Fisheye Dome to industry-standard 1.5" NPT mounts.</p> 	 <p>Diameter 5.9 in. (150 mm)</p> <p>Height 2.5 in. (63.2 mm)</p>	<p>●</p>	<p>●</p>	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 1 lb (0.45 Kg)</p>	<p>V2360W-12-1 Fisheye Dome</p>	<p>SVFT-WM-1 Short Wall Mount V1001-WM Medium Wall Mount SVFT-UCM-1 Ceiling Mount V1001-PM Pendant Mount SVFT-UPM-2 Parapet Mount</p>

In-Ceiling Mounts	Dimensions	Indoor	Outdoor	Construction	Compatible Cameras	Compatible Mounts
<p>NEW</p> <p>V2000D-IC In-Ceiling Mount</p>  <p>Use this when recessing the V2000D Fixed Domes into a ceiling. Drop-ceiling applications may also require the V2XXXD-DCB Drop Ceiling Bracket for additional support.</p>	 <p>Height 2.6 in. (66.3 mm)</p> <p>Diameter 8.5 in. (216 mm)</p>			<p>Material: Zinc-Plated Steel and PC-ABS Plastic</p> <p>Color: White</p> <p>Weight: 0.85 lb (0.4 Kg)</p>	<p>V2000D Fixed Varifocal Domes</p>	<p>V2XXXD-DCB Drop Ceiling Support Bracket</p>
<p>NEW</p> <p>V2100D-IC In-Ceiling Mount</p>  <p>Use this when recessing the V2100D Fixed Domes into a ceiling. Drop-ceiling applications may also require the V2XXXD-DCB Drop Ceiling Bracket for additional support.</p>	 <p>Height 2.5 in. (63.5 mm)</p> <p>Diameter 8.5 in. (216 mm)</p>			<p>Material: Zinc-Plated Steel and PC-ABS Plastic</p> <p>Color: White</p> <p>Weight: 0.8 lb (0.36 Kg)</p>	<p>V2100D Fixed Varifocal Domes</p>	<p>V2XXXD-DCB Drop Ceiling Support Bracket</p>
<p>NEW</p> <p>V2XXXD-DCB Drop Ceiling Support Bracket</p>  <p>Use this to provide extra support when recessing the V2000D and V2100D Fixed Domes into a drop ceiling.</p>	 <p>Length 23.9 in. (607 mm)</p> <p>Inside Diameter 8 in. (203 mm)</p>			<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 0.9 lb (0.4 Kg)</p>	<p>V2000D Fixed Varifocal Domes V2100D Fixed Varifocal Domes</p>	<p>V2000D-IC In-Ceiling Mount (required) V2100D-IC In-Ceiling Mount (required)</p>
<p>V2000-360-ICD Drop-Ceiling Mount</p>  <p>Use this when recessing the V2000 Multi-Sensors into a 2x2 drop-ceiling.</p>	 <p>Height 3.9 in. (99 mm)</p> <p>Length 16 in. (406.4 mm)</p> <p>* Diameter of Surface Plate 13 in. (330.2 mm)</p> <p>16 to 24 in. adjustable (406.4 to 609.6 mm)</p>			<p>Material: Aluminum</p> <p>Color: White Surface Plate</p> <p>Weight: 2.75 lbs (1.25 Kg)</p>	<p>V2000 Multi-Sensors</p>	<p>N/A</p>

Backbox Mounts	Dimensions	Indoor	Outdoor	Construction	Compatible Cameras	Compatible Mounts
<p>V2100D-BOX Backbox Mount</p> <p>Use this when you need to protect the V2100D Fixed Dome's cables from the elements, vandalism, etc.</p> 	 <p>Height 2.25 in. (57.2 mm)</p> <p>Diameter 5.0 in. (127 mm)</p>	●	●	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 1.35 lbs (0.6 Kg)</p>	V2100D Fixed Varifocal Domes	N/A
<p>V2000D-MICRO-BOX Backbox Mount</p> <p>Use this when you need to protect the V2005D Micro-Dome's cables from the elements, vandalism, etc.</p> 	 <p>Height 2.4 in. (60.3 mm)</p> <p>Diameter 4.75 in. (120.7 mm)</p>	●	●	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 1.1 lb (0.5 Kg)</p>	V2005D Fixed Micro-Dome	N/A
<p>V2000B-BOX Backbox Mount</p> <p>Use this when you need to protect the Bullet Camera or Fisheye Dome cables from the elements, vandalism, etc.</p> 	 <p>Height 2.25 in. (57.12 mm)</p> <p>Diameter 5.75 in. (146 mm)</p>	●	●	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 1.7 lbs (0.77 Kg)</p>	V2360W-12-1 Fisheye Dome V2000B Bullet Cameras	V-24CMB-4 Corner Mount Bracket V-20B-A-4 Pole Mount Bracket These brackets are required for bullet cameras only
<p>V2100B-BOX Backbox Mount</p> <p>Use this when you need to protect the V2100B Bullet Camera cables from the elements, vandalism, etc.</p> 	 <p>Height 2.25 in. (57.12 mm)</p> <p>Diameter 4.75 in. (120.7 mm)</p>	●	●	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 1 lb (0.45 Kg)</p>	V2100B Bullet Cameras	V-24CMB-4 Corner Mount Bracket V-20B-A-4 Pole Mount Bracket

Wedge Mount	Dimensions	Indoor	Outdoor	Construction	Compatible Cameras	Compatible Mounts
<p>V2XXX-WDG Wedge Mount</p> <p>Use this when various domes need to be surface-mounted on an angle to achieve the correct field-of-view.</p> 	 <p>Height 2.0 in. (51 mm)</p> <p>Wedge Mounting Angle: 15°</p> <p>Diameter 6.0 in. (152.4 mm)</p>			<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 0.85 lb (0.39 Kg)</p>	<p>V2360W-12-1 Fisheye Dome V2005D Fixed Micro-Dome</p>	<p>V2XXX-WDG-PLATE Electrical Box Mounting Plate</p>
<p>Electrical Box Mounting Plates</p> <p>V2000D-PLATE Electrical Box Mounting Plate</p> <p>Use this when mounting the V2000D Dome to a 4x4 electrical box.</p> 	 <p>Diameter 6.25 in. (158.75 mm)</p>			<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 0.3 lb (0.14 Kg)</p>	<p>V2000D Fixed Varifocal Domes</p>	<p>N/A</p>
<p>V2100D-PLATE Electrical Box Mounting Plate</p> <p>Use this when mounting the V2100D Fixed Dome to a 4x4 electrical box.</p> 	 <p>Diameter 6.25 in. (158.75 mm)</p>			<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 0.7 lb (0.32 Kg)</p>	<p>V2100D Fixed Varifocal Domes</p>	<p>N/A</p>
<p>V2000D-MICRO-PLATE Electrical Box Mounting Plate</p> <p>Use this when mounting the V2005D Micro-Dome to a 4x4 electrical box.</p> 	 <p>Diameter 6.5 in. (165.1 mm)</p>			<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 0.75 lb (0.34 Kg)</p>	<p>V2005D Fixed Micro-Dome</p>	<p>N/A</p>

	Dimensions	Indoor	Outdoor	Construction	Compatible Cameras	Compatible Mounts
<p>V2360-PLATE Electrical Box Mounting Plate</p> <p>Use this when mounting the V2360W-12-1 Fisheye Dome to a 4x4 electrical box.</p> 	 <p>Length 6.39 in. (162.3 mm)</p> <p>Width 6.25 in. (158.8 mm)</p>	●	○	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 0.85 lb (0.39 Kg)</p>	V2360W-12-1 Fisheye Dome	N/A
<p>V2XXX-WDG-PLATE Electrical Box Mounting Plate</p> <p>Use this when mounting the V2XXX-WDG Wedge Mount to a 4x4 electrical box.</p> 	 <p>Diameter 6.13 in. (155.7 mm)</p>	●	○	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 0.3 lb (0.14 Kg)</p>	V2360W-12-1 Fisheye Dome V2005D Fixed Micro-Dome	V2XXX-WDG Wedge Mount (required)
<p>V2000B-PLATE Electrical Box Mounting Plate</p> <p>Use this when mounting the V2000B Bullet Cameras to a 4x4 electrical box.</p> 	 <p>Diameter 6.25 in. (158.75 mm)</p>	●	○	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 0.85 lb (0.39 Kg)</p>	V2000B Bullet Cameras	N/A
<p>V2100B-PLATE Electrical Box Mounting Plate</p> <p>Use this when mounting the V2100B Bullet Camera to a 4x4 electrical box.</p> 	 <p>Diameter 6.25 in. (159 mm)</p>	●	○	<p>Material: Aluminum</p> <p>Color: White</p> <p>Weight: 0.35 lb (1.6 Kg)</p>	V2100B Bullet Cameras	N/A